


# Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care



Safe & Healthy Beginnings: A Resource Toolkit for Hospitals and Physicians Offices, developed in partnership with the Center for Health Care Quality at Cincinnati Childrens Hospital Medical Center is a resource to assist clinicians in implementing the ABCs of improving care for newborns. Safe & Healthy Beginnings: A Resource Toolkit for Hospitals and Physicians Offices Safe & Healthy Beginnings is purpose-built to help you implement the American Academy of Pediatrics (AAP) clinical practice guideline, Management of Hyperbilirubinemia in the Newborn Infant 35 or More Weeks of Gestation. This new compendium brings together a wide array of ready-to-use resources: assessment and documentation tools, inventories, checklists, sample letters, coding aids, parent handouts, and more on an easy-to-use CD-ROM. Visit <http://www.aap.org/pubserv/shb/index.html> to view a demo of this practice resource. Perinatal care excellence begins with ABC: Assessment of risk for severe hyperbilirubinemia. The AAP recommends that prior to a newborn's discharge from the hospital, the risk for severe hyperbilirubinemia be determined and appropriate management or follow-up plans be put in place. Safe & Healthy Beginnings provides tools optimized for accurate hyperbilirubinemia risk assessment. Breastfeeding support: The AAP advises health care professionals to counsel mothers about breastfeeding, promote breastfeeding, thoroughly assess breastfeeding during hospitalization and at the first primary care visit, and provide mothers with information about breastfeeding resources. Toolkit materials help newborn nurseries and primary care practices implement these evidence-based recommendations. Coordination of care: The AAP recommends that newborns discharged before 72 hours of age be

assessed by a licensed health care professional within 2 days of discharge. Toolkit materials ease care coordination between the hospital newborn nursery and the pediatric primary care practice. Safe & Healthy Beginnings brings you a wealth of tested tools all on one convenient, quick-access CD-ROM!

**ASSESSING YOUR SYSTEMS FOR NEWBORN CARE**

Tools for Newborn Nursery Clinicians  
Safe and Healthy Beginnings Newborn Nursery Inventory  
Safe and Healthy Beginnings Newborn Discharge: A Readiness Checklist  
Bright Futures Newborn Hospital Documentation Form  
Tools for Primary Care Clinicians  
Safe and Healthy Beginnings Primary Care Practice Inventory  
Safe and Healthy Beginnings First Newborn Visit Checklist  
Well Child/2 to 5 Days (First Week) Pediatric Visit Documentation Form  
Bright Futures Previsit Questionnaire: 2 to 5 Day (First Week) Visit  
Safe and Healthy Beginnings Newborn Primary Care Visit: The Pediatric Practitioners Guide to Coding and Getting Paid  
Parent Handouts  
Bright Futures Parent Handout: Newborn Visit  
Bright Futures Parent Handout: 2 to 5 Day (First Week) Visit  
Caring for Your Baby (English and Spanish)

**ASSESSMENT OF RISK FOR SEVERE HYPERBILIRUBINEMIA**

Tools for Clinicians  
Is the Baby at Risk for Severe Hyperbilirubinemia? Predischarge Assessment of the Risk for Severe Hyperbilirubinemia in Newborns 35 or More Weeks of Gestation  
Assessment of Risk for Severe Hyperbilirubinemia Pocket Card  
Phototherapy Guidelines Pocket Card  
Letter to Primary Care Physician From Hospital About Newborn Follow-up  
Sample Hospital Policy: Management of Hyperbilirubinemia in the Normal Newborn Nursery  
Parent Handouts  
Questions and Answers: Jaundice and Your Newborn (English, Spanish, Chinese, and Italian)

**BREASTFEEDING SUPPORT**

Tools for Clinicians  
Clinical Care Path for Breastfeeding  
Sample

Hospital Breastfeeding Policy for Newborns  
Infant Breastfeeding Assessment Tool (IBFAT)  
LATCH: A Breastfeeding Charting System and Documentation Tool  
Mother-Baby Assessment Tool  
A Clinicians Guide: Suggested Questions to Assess Breastfeeding in Primary Care Practice  
Breastfeeding Assessment Checklist for Mothers in Primary Care Practice (English and Spanish)  
Assessing Your Local Breastfeeding Resources (English and Spanish)  
Parent Handouts  
Breastfeeding Record for Babys First Week (English and Spanish)  
Breastfeeding Your Baby: Answers to Common Questions (English and abbreviated Spanish)  
Safe and Healthy Beginnings: A Resource Toolkit for Hospitals and Physicians Offices has been endorsed by The Joint Commission and the Child Health Corporation of America.  
Safe and Healthy Beginnings Coordination of care between the newborn nursery and primary care practice is critical to improve care processes related to assessment, management, and treatment of hyperbilirubinemia; feeding and lactation support; and the safe transition of care from hospital to the newborns medical home.

[\[PDF\] Behind the Mask](#)

[\[PDF\] Out of Tanzania 2016: Animals from Serengeti, Tanzania \(Calvendo Animals\)](#)

[\[PDF\] The Waldorf School Book of Soups](#)

[\[PDF\] Journey To The Chianti: Getting To Know An Ancient Tuscan Region](#)

[\[PDF\] Knowing and Doing the Will of God](#)

[\[PDF\] The Board Members Guide: A Beneficial Bestiary](#)

[\[PDF\] How to Gracefully Exit a Relationship](#)

**9781581103298 - Safe & Healthy Beginnings: Assessment of** Nov 18, 2016 - 51 sec - Uploaded by D Veal  
Safe Healthy Beginnings Assessment of Hyperbilirubinemia Breastfeeding Support **Breastfeeding Health Professionals Resource Guide - American** Oct 10, 2008 The Safe and Healthy Beginnings (SHB) project tested improving assessment of a newborns risk for severe hyperbilirubinemia, support for breastfeeding and coordination of care from the newborn nursery to the primary **Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia** Assessment of risk for severe hyperbilirubinemia prior to hospital discharge Breastfeeding support Care coordination between the nursery and primary care. **Safe and Healthy Beginnings project highlights how improved** Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care by American Academy of Pediatrics (2009-03-13) **News release: Safe & Healthy Beginnings - Joint Commission** Mar 7, 2017 - 23 sec  
BEST EBOOK Safe Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding **Ensuring Safe and Healthy Beginnings - Pediatrics** week of age, later than would be optimal for assessment of jaundice and lactation.<sup>4</sup> Another

factor may be the current state of consists of a several-year program of coordinated activities targeting the educational efforts to support improved care in AAP chapters and a safe and healthy beginning for infants and their families: . **Safe and Healthy Beginnings: A Resource Toolkit for - AbeBooks** Providing safe and effective care requires coordination among the multiple levels of and support is often inadequate, increasing the risk of hyperbilirubinemia and after the optimal time for continued assessment of jaundice and lactation. The American Academy of Pediatrics Safe and Healthy Beginnings Initiative, a pilot **Decreasing the Risk for Severe Hyperbilirubinemia A Quality** Oct 24, 2011 The Assessment of Risk for Severe Hyperbilirubinemia (ARSH) tool for . The Safe and Healthy Beginnings Project Newborn Nursery Chart of care coordination, and eight indicators of breastfeeding support (QuIIN, **Hospital Stay for Healthy Term Newborns FROM THE AMERICAN** Download pdf #Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care. #2619849 in Books 2009-03-13 **Safe & Healthy Beginnings Assessment of Hyperbilirubinemia** Safe Healthy Beginnings Assessment Of Hyperbilirubinemia Breastfeeding Support Coordination Of Breastfeeding Support Coordination Of Care. Safe **9781581103298: Safe & Healthy Beginnings: Assessment of** Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care by Pediatrics, American Academy of and a great **[Download] Safe Healthy Beginnings: Assessment of - Dailymotion** Feb 14, 2017 - 23 sec[READ BOOK] Safe Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Sep 24, 2013 ?Incorporate breastfeeding support into practice and anticipatory Pediatrics July 2004. Management of Hyperbilirubinemia in the Newborn + Safe & Healthy Beginnings . ?Content of counseling/coordination of care. **Safe & Healthy Beginnings: Assessment of** - The hospital stay of the mother and her healthy term newborn infant should be long rates were used to assess the adequacy of the newborn hospital length of stay. the American Academy of Pediatrics Safe and Healthy Beginnings toolkit for severe hyperbilirubinemia, breastfeeding support, and coordination of care to **Safe and Healthy Beginnings (SHB) Improvement Project** Safe and Healthy Beginnings Primary Care Practice Inventory: This tool can be used to assess the current systems that support comprehensive newborn care and may Assessment of Risk for Severe Hyperbilirubinemia Pocket Card: This pocket Breastfeeding Assessment Checklist for Mothers in Primary Care Practice **Quality improvement methods facilitate strategies to improve** Mar 2, 2009 Safe and Healthy Beginnings: A Resource Toolkit for Hospitals and Physicians Offices, Assessment of a newborns risk for severe jaundice jaundice, support for the breastfeeding mother and coordination of care with the **Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia** Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care by American Academy of Pediatrics (2009-03-13) **Testing Perinatal Care Strategies - American Academy of Pediatrics** Assessment of a newborns risk for severe jaundice. Breastfeeding support for mothers. Coordination of care between the newborn nursery and primary care **Safe Healthy Beginnings Assessment Of Hyperbilirubinemia** Safe and Healthy Beginnings Toolkit Breastfeeding Support and Promotion Speakers Kit, American Academy of Pediatrics Section on Breastfeeding, 2012 **Safe and Healthy Beginnings: A Resource Toolkit for Hospitals and** : Safe & Healthy Beginnings: Assessment of Hyperbilirubinemia, Breastfeeding Support, Coordination of Care (9781581103298) by American **Guideline-Based Educational Intervention to Decrease the Risk for** Safe and Healthy Beginnings Project Breastfeeding support. ? Coordination of care between newborn . NBN assessment bilirubin risk, PCP breastfeeding. **Safe and Healthy Beginnings: A Resource Toolkit for - eBay** Oct 9, 2008 The Safe and Healthy Beginnings (SHB) project tested improv- ing assessment of a newborns risk for severe hyperbilirubinemia, support for breastfeeding and coordination of care from the new- born nursery to the primary **DOWNLOAD Safe Healthy Beginnings: Assessment of - Dailymotion** Safe & Healthy Beginnings: A Resource Toolkit for Hospitals and Physicians of improving care for newborns: Assessment of the newborns risk for severe hyperbilirubinemia, Breastfeeding support, and Coordination of care between the **Hospital Stay for Healthy Term Newborn Infants - Pediatrics** abstract The hospital stay of the mother and her healthy term newborn infant should be 12 hours after birth.1 Other neonatal problems, such as jaundice,2,3 better coordination of postdischarge care breastfeed, mothers with inadequate prenatal care and poor social support, Safe and Healthy Beginnings toolkit. **Download Safe Healthy Beginnings: Assessment of - Dailymotion** Apr 11, 2017 - 37 sec - Uploaded by Julie AndrewsSafe & Healthy Beginnings Assessment of Hyperbilirubinemia, Breastfeeding Support